

ECOPPOINT

TECHNICAL DATA SHEET

By nature,
for life

Eco-Point Group

NL Canadaweg 28, 4661 PZ Halsteren T: +31(0)164-632555

E: info@eco-point.com W: www.eco-point.com

TECHNICAL DATA SHEET

E.P. Biosol. Ecologically safe fully biodegradable industrial cleaner / degreaser based on a pure naturally occurring solvent.

Product description

E.P. Biosol is a unique product from mother nature. The natural character of E.P. Biosol makes it user friendly and renewable. E.P. Biosol is totally aromatic free and fully biodegradable.

Solution areas

- polluted machinery
- remains of rust, bitumen and lute
- polluted engines
- polluted tools
- polluted chains
- polluted filters
- remains of ink
- resins and glues
- non-cured pur foam
- polluted parts
- polluted bearings

Sustainable solution

E.P. Biosol is a complete natural product, aromatic- and halogen free and an excellent safe replacement for many harmful solvents like trichloroethylene refined petrol, thinners etc. E.P. Biosol works fast and effective, have a high solvency power and degreases sublimely.

Special advantages

- E.P. Biosol is aromatic-free and has a pleasant fragrance
- E.P. Biosol is pleasant and safe in use
- E.P. Biosol is a natural product
- E.P. Biosol is biodegradable
- E.P. Biosol does not contain chloral hydrocarbons such as methylene chloride, 1.1.1 trichloroethylene etc..
- E.P. Biosol degreases sublimely and leaves no residue behind
- E.P. Biosol is human, environmental and material friendly
- E.P. Biosol can be safely used on all metals and most synthetic materials and is not conductible

Eco-Point Group

NL Canadaweg 28, 4661 PZ Halsteren T: +31(0)164-632555

E: info@eco-point.com W: www.eco-point.com

Areas of application

- cleaning/ degreasing parts and tools
- cleaning/ degreasing ball-bearings, chains and conveyor-belts
- degreasing metals and synthetic materials
- removing sticker and glue remains
- removing bitumen film from machines, clothing, bollards, traffic signs, carpet
- cleaning filters
- removing graffiti
- cleaning rolls and screens
- removing non-cured pur foam

Remarks

Do not spray in an open fire and keep away from ignition sources. May affect certain rubbers and synthetic materials. If in doubt, first test on a less visible place.



Seen its multipurpose characteristics, E.P. Biosol is suitable for the food processing industry. It can play an essential role for food processing companies that have to work according to HACCP standards. Contamination is a “critical point” and must be kept under close surveillance. E.P. Biosol contributes to a controlled working environment.

*Is an independent German research institute that issues certificates for adequacy of cleaning products for the food industry.

Product instructions

E.P. Biosol is to be used purely. E.P. Biosol can be used by spraying, by using a cloth, brushing or plunging.

- Spraying: spray directly on the object that is to be cleaned. Leave to soak. Remove remains with a cloth or rinse with water or air-pressure.
- Plunging: plunge the object in E.P. Biosol. Leave to soak. Take out the object, let it leak out and rinse with water or blow dry with air-pressure
- Dry with a cloth, air circulation, air-pressure or natural drying

Packing material

Eco-Point International products are packed in polyethylene H.D. or metal drums. When repeat orders are being delivered, used drums which are empty and not polluted are collected free of charge for recycling or reconditioning purposes. When incinerated, polyethylene has no harmful effect on the environment.

Eco-Point sprayers are made of PE or PET: light weight, little raw material per bottle, low production energy consumption, virtually unbreakable and therefore long life, little waste during production and recycling, no harmful substances when incinerated, 100% recyclable.