

ECOPPOINT

TECHNICAL DATA SHEET

By nature,
for life

Eco-Point Group

NL Canadaweg 28, 4661 PZ Halsteren T: +31(0)164-632555

E: info@eco-point.com W: www.eco-point.com

TECHNICAL DATA SHEET

Ecotense. A powerful, biodegradable industrial floor cleaner for both manual use and in a scrub drying machine.

Product description

Ecotense is a concentrated, water dilutable floor cleaner that can be used both manually and in a scrub drying machine, based on fully biodegradable surface active components, tensides and detergents. Ecotense is especially developed to clean floors intensively. Eco-Point International's Ecotense is a very economic, low foaming and very effective floor cleaner. The ecologic character of Ecotense results in minimal environmental damage.

Solution areas

- Heavy industrial pollution on floors causes unhygienic working conditions
- Polluted floors are breeding grounds for bacteria growth
- Polluted floors may cause danger of skidding
- Polluted floors make a very neglected impression
- Polluted floors may cause damage to materials or machines
- Keeping floors clean is normally very labour-intensive and therefore expensive

Sustainable solution

Ecotense is a very powerful, concentrated floor cleaner, that deals with the problems mentioned above energetically. Ecotense has the ideal combination of economic, ecologic and quality demands. Ideal for heavy cleaning, but also suited for daily upkeep.

Special advantages

- Ecotense is fully biodegradable
- Ecotense is water dilutable
- Ecotense is strongly concentrated and therefore economic in use
- Ecotense has rust-preventing qualities
- Ecotense is not corrosive and therefore safe to use
- Ecotense is not inflammable
- Ecotense is low foaming and has a non skid effect
- Ecotense provides a wide range of dilutions

Eco-Point Group

NL Canadaweg 28, 4661 PZ Halsteren T: +31(0)164-632555

E: info@eco-point.com W: www.eco-point.com

Areas of application

- cleaning floors with a scrub drying machine
- cleaning floors manually
- cleaning floors polluted with mineral oils and fats
- cleaning floors polluted with bestial and vegetable oils and fats
- removing tracks from floors
- removing atmospheric pollution from floors

Remarks

Ecotense can essentially help food companies to work in accordance with H.A.C.C.P.-guidelines. In food industry, floors are a critical factor and must be checked permanently. Ecotense contributes to that verified working environment.

Product instructions

Ecotense is used in a scrub drying machine. Follow the machine manual instructions to ensure the right dosage. Ecotense may be used manually as well (scrubbing, mopping etc.). Dosage depends on the pollution and varies from 1:10 up to 1:50.

Use Ecotense to wet extreme pollution first. Let the product penetrate for a while before using a scrub drying machine.

Packing material

Eco-Point International products are packed in polyethylene H.D. or metal drums. When repeat orders are being delivered, used drums which are empty and not polluted are collected free of charge for recycling or reconditioning purposes. When incinerated, polyethylene has no harmful effect on the environment.

Eco-Point sprayers are made of PE or PET: light weight, little raw material per bottle, low production energy consumption, virtually unbreakable and therefore long life, little waste during production and recycling, no harmful substances when incinerated, 100% recyclable.