

# ECOPPOINT

## TECHNICAL DATA SHEET

By nature,  
for life

Eco-Point Group

NL Canadaweg 28, 4661 PZ Halsteren T: +31(0)164-632555

E: [info@eco-point.com](mailto:info@eco-point.com) W: [www.eco-point.com](http://www.eco-point.com)

## TECHNICAL DATA SHEET

**SOLVEGA 300.** A natural cleaning/ degreasing solvent. Based on esterified natural rapeseed oil. An environmentally safe cleaning/ degreasing agent. Can also be used as a demoulding agent and anti-adherent for among other things asphalt on machines and tools No labelling on this product!

### Product description

Solvega 300 is an ultra user friendly cleaning/degreasing agent. Safe in use, because of its aromatic free character and the lack of chlorinated hydrocarbons; the product has no unpleasant smell of oil. Solvega 300 has a sublime degreasing action and can be used as a solvency power for other solvents (ask your product consultant for the possibilities).

### Solution areas

- contaminated machines, tools and parts
- gas oil/fuel oil is aromatic
- aromatic solvents are very unhealthy
- a low flashpoint needs special measures
- harmful (VOC) solvents

### Sustainable solution

Solvega 300 is the safe and effective answer and alternative to conventional products as gasoline and white spirit.

For companies that either do not want to or are not allowed to work with mineral oils as a degreasing solvent, Solvega 300 is the perfect alternative!

Due to its solvency power Solvega 300 can be applied as an intensifier in systems with limited solvent ability.

### Special advantages

- Solvega 300 has an extremely high flash point: ca. 180°C
- Solvega 300 is free of aromatics and other mineral oil components
- Solvega 300 is free of labelling
- Solvega 300 is a natural product
- Solvega 300 is easily biodegradable especially compared to gasoline and white spirit
- Solvega 300 spreads no harmful vapours and is VOC free!
- Solvega 300 does not contain chlorinated hydrocarbons such as methylene chloride, 1.1.1 trichloroethane etc.

## Eco-Point Group

NL Canadaweg 28, 4661 PZ Halsteren T: +31(0)164-632555

E: [info@eco-point.com](mailto:info@eco-point.com) W: [www.eco-point.com](http://www.eco-point.com)

## Areas of application

Solvega 300 is used for cleaning and degreasing of:

- machine parts, tools and metals
- ball bearings, chains and conveyor belts
- for removing tar, tectyle and bitumen

Also usable:

- in combination with a rinsing table → Promatic 200
- as an anti-adhesion agent in the asphalt industry
- as a release agent in the concrete industry

## Remarks

Solvega 300 can cause neoprene, EPDM and natural rubber to dissolve or swell. For silicone or NBR rubber we advise to test it first. While synthetic materials as PMMA, PE, PP, polycarbonate, polystyrene, polyamide-6 and Viton are relatively insensitive for Solvega 300. If in doubt first try at a less visible place.



Seen its multipurpose characteristics, Solvega 300 is suitable for the food processing industry. It can play an essential role for food processing companies that have to work according to HACCP standards. Contamination is a “critical point” and must be kept under close surveillance. Solvega 300 contributes to a controlled working environment.

\*Is an independent German research institute that issues certificates for adequacy of cleaning products for the food industry.

## Product instructions

- Solvega 300 is to be used pure.
- Spraying: spray directly on the object that is to be cleaned. Leave to soak. Remove remains with a cloth.
- Plunging: plunge the object in Solvega 300. Leave to soak. Take out the object, let it leak out.

## Packing material

Eco-Point International products are packed in polyethylene H.D. or metal drums. When repeat orders are being delivered, used drums which are empty and not polluted are collected free of charge for recycling or reconditioning purposes. When incinerated, polyethylene has no harmful effect on the environment.

Eco-Point sprayers are made of PE or PET: light weight, little raw material per bottle, low production energy consumption, virtually unbreakable and therefore long life, little waste during production and recycling, no harmful substances when incinerated, 100% recyclable.